

Online Deeper and Wider Siamese Networks for RGB-D Long-term Visual Tracking


Houwen Peng, Hongyuan Yu, Zhirong Wu,
Yan Huang, Jianlong Fu and Liang Wang



Microsoft Research Asia
Institute of Automation, Chinese Academy of Sciences




Outline





VOT2019 RGBD overview




- 80 videos(each has around 1500 frames)
- Category varies, including indoor and outdoor sequences captured under unconstrained conditions.
- Metric: AUC (in notice email is F-score)




Challenges



Challenges



The performance of recent SOTA algorithms




The
performance
of recent
SOTA
algorithm

Model	RGB	Depth
SiamFC [Luca et al.]	0.3286	--
SiamRPN LT [Zhu et al.]	0.4061	0.1493
SiamRPN++ LT [Li et al.]	0.5012	--
SiamRPN++ OTB [Li et al.]	0.5396	0.2957
SiamRPN++ mobilenet [Li et al.]	0.4758	0.2005
SiamMask [Wang et al.]	0.5088	0.2271
MBMD [Wang et al.]	0.4279	0.2311
ATOM res18 [Martin et al.]	0.4693	0.2720
ATOM res50 [Martin et al.]	0.5322	0.2700


Our model

Modules:


- ① Online and offline module
- ② Score verification module
- ③ Redetection module
- ④ Fusion module




Online Siamese Framework



Redetection module




Score verification







How to improve performance



Visualization results





Ours ———

DaSiam_LT ———

MBMD ———

Visualization results



Ours ———

DaSiam_LT ———

MBMD ———


Deeper and Wider Siamese Networks Family

CVPR2019 ORAL

Winner of VOT2019 RGBD tracking (SiamDW-D)

Runner-up of VOT2019 LT tracking (SiamDW-LT)

Runner-up of VOT2019 RGBT tracking(SiamDW-T)



Code & Models



SiamDW
(**CVPR2019**)



VOT2019

SiamDW-LT
SiamDW-RGBD
SiamDW-RGBT

Reference

- [1] Zhipeng Zhang and Houwen Peng. Deeper and wider siamese networks for real-time visual tracking. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pages 4591–4600, 2019.
- [2] Bo Li, Wei Wu, Qiang Wang, Fangyi Zhang, Junliang Xing, and Junjie Yan. Siamrpn++: Evolution of siamese visual tracking with very deep networks. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pages 4282–4291, 2019.
- [3] Bo Li, Junjie Yan, Wei Wu, Zheng Zhu, and Xiaolin Hu. High performance visual tracking with siamese region proposal network. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition
- [4] Michael Felsberg. Atom: Accurate tracking by overlap maximization. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pages 4660–4669, 2019.
- [5] Luca Bertinetto, Jack Valmadre, Joao F Henriques, Andrea Vedaldi, and Philip HS Torr. Fully-convolutional Siamese networks for object tracking.
- [6] Yuhuan Zhang, Dong Wang, Lijun Wang, Jinqing Qi, Huchuan Lu . Learning regression and verification networks for long-term visual tracking
- [7] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In Proceedings of the IEEE conference on computer vision and pattern recognition , pages 770–778, 2016.
- [8] J. Hu, L. Shen, and G. Sun. Squeeze-and-excitation networks. arXiv preprint arXiv:1709.01507, 2017

Thanks!

We're hiring @ MSRA

